ZL strain relief plates

for screw assembly



The strain relief plate ZL is used for static or dynamic applications for organising and securing cables on machines, control panels or drag chains.

The design of the strain relief unit provides secure strain relief according to EN 62444. Mount of the cables or pneumatic tubing is easily done using cable ties.

By using aluminium (ZL-AB types) or brass (ZL-MS types) nuts for the screw holes, a better fit of the strain relief plate is achieved, even in high vibration environments.

Strain relief plates ZL 03 | 04 | 05 feature different comb widths. Thus providing a multi-purpose product for various cable sizes.

For multilayer installation please use DH spacers.



Specifications

Advantages & benefits

Strain relief according to EN 62444 Material Polyamide Fast and easy mounting Inlay bushings: Aluminium Inlay bushings: Brass Cost-effective solution High cable density Flame class UL94-V0, self-extinguishing Versatile utilisation **Operating temperature** -40 C° to 140 C° Properties silicone free, halogen free Mounting options Screw type mounting

Product types & sizes

ZL 39 Part No. 32222 Height EAN 4251269300837 No. of PU 10 No. of For max. no. of cables 3 Diam. Length L1 38.5 mm Width 40 mm

Height	10 mm
No. of teeth	3
No. of screw holes	2
Diam. of screw holes	9 mm



Part No. EAN PU For max. no. of cables Length L1 Length L2 Width 32224 4251269300844 10 4 59.5 mm 43.5 mm 40 mm

Height	10 mm
No. of teeth	4
No. of screw holes	2
Diam. of screw holes	9 mm

ZL 70	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32226 4251269300851 10 5 69.1 mm 43.5 mm 40 mm	Height No. of teeth No. of screw holes Diam. of screw holes	10 mm 5 2 9 mm	
ZL 87	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32228 4251269300868 10 6 86.5 mm 68 mm 40 mm	Height No. of teeth No. of screw holes Diam. of screw holes	10 mm 6 2 9 mm	
ZL 103	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32230 4251269300875 10 7 102 mm 84 mm 40 mm	Height No. of teeth No. of screw holes Diam. of screw holes	10 mm 7 2 9 mm	
ZL 121	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32232 4251269300882 10 8 121 mm 102.5 mm 40 mm	Height No. of teeth No. of screw holes Diam. of screw holes	10 mm 8 2 9 mm	
ZL 140	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32234 4251269300899 10 9 139.5 mm 121 mm 40 mm	Height No. of teeth No. of screw holes Diam. of screw holes	10 mm 9 2 9 mm	
ZL 180	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32236 4251269300905 10 12 180 mm 157 mm 40 mm	Height No. of teeth No. of screw holes Diam. of screw holes	10 mm 12 2 9 mm	

ZL 39 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32270 4251269301001 10 3 38.5 mm 19.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 3 2 4.1 mm	
ZL 39 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32280 4251269301087 10 3 38.5 mm 19.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 3 2 5.2 mm	
ZL 39 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32290 4251269301162 10 3 38.5 mm 19.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 3 2 6.2 mm	
ZL 60 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32271 4251269301018 10 4 59.5 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 4 2 4.1 mm	
ZL 60 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32281 4251269301094 10 4 59.5 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 4 2 5.2 mm	
ZL 60 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32291 4251269301179 10 4 59.4 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 4 2 6.2 mm	

ZL 70 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32272 4251269301025 10 5 69.1 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 5 2 4.1 mm	
ZL 70 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32282 4251269301100 10 5 69.1 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 5 2 5.2 mm	
ZL 70 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32292 4251269301186 10 5 69.1 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 5 2 6.2 mm	
ZL 87 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32273 4251269301032 10 6 86.5 mm 68 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 6 2 4.1 mm	
ZL 87 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32283 4251269301117 10 6 86.5 mm 68 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 6 2 5.2 mm	
ZL 87 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32293 4251269301193 10 6 86.5 mm 68 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 6 2 6.2 mm	

ZL 103 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32275 4251269301056 10 7 102.5 mm 84 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 7 2 4.1 mm
ZL 103 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32284 4251269301124 10 7 102.5 mm 84 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 7 2 5.2 mm
ZL 103 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32294 4251269301209 10 7 102.5 mm 84 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 7 2 6.2 mm
ZL 121 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32277 4251269301070 10 8 121 mm 102.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 8 2 4.1 mm
ZL 121 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32285 4251269301131 10 8 121 mm 102.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 8 2 5.2 mm
ZL 121 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32295 4251269301216 10 8 121 mm 102.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 8 2 6.2 mm

ZL 140 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32274 4251269301049 10 9 139.5 mm 121 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 9 2 4.1 mm
ZL 140 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32286 4251269301148 10 9 139.5 mm 121 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 9 2 5.2 mm
ZL 140 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32296 4251269301223 10 9 139.5 mm 121 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 9 2 6.2 mm
ZL 180 AB M4	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32276 4251269301063 10 12 180 mm 157 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 12 2 4.1 mm
ZL 180 AB M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32287 4251269301155 10 12 180 mm 157 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 12 2 5.2 mm
ZL 180 AB M6	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32297 4251269301230 10 12 180 mm 157 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 12 2 6.2 mm

ZL 39 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32360 4251269301322 10 3 38.5 mm 19.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 3 2 5.2 mm	
ZL 60 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32361 4251269301339 10 4 59.5 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 4 2 5.2 mm	
ZL 70 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32362 4251269301346 10 5 69 mm 43.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 5 2 5.2 mm	
ZL 87 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32363 4251269301353 10 6 86.5 mm 68 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 6 2 5.2 mm	
ZL 103 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32364 4251269301360 10 7 102.5 mm 84 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 7 2 5.2 mm	
ZL 121 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32365 4251269301377 10 8 121 mm 102.5 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 8 2 5.2 mm	

ZL 140 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32366 4251269301384 10 9 139.5 mm 121 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 9 2 5.2 mm	
ZL 180 MS M5	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32367 4251269301391 10 12 180 mm 157 mm 40 mm	Height Mounting height No. of teeth No. of screw holes Diam. of screw holes	10.2 mm 10.2 mm 12 2 5.2 mm	
ZL 03	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32112 4251269300806 10 7 63.4 mm 42 mm 35 mm	Height No. of teeth No. of teeth (slim) Diam. of screw holes	9.3 mm 4 7 5.5 mm	
ZL 04	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32114 4251269300813 10 11 95 mm 74.5 mm 35 mm	Height No. of teeth No. of teeth (slim) Diam. of screw holes	9.3 mm 6 11 5.5 mm	
ZL 05	Part No. EAN PU For max. no. of cables Length L1 Length L2 Width	32116 4251269300820 10 13 102.5 mm 84 mm 40 mm	Height No. of teeth Diam. of screw holes	10 mm 7 9 mm	